

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Proprietor

M/S. RENUKA CONSTRUCTIONS

8 Deeplaxmi Building, Power House Chowk, Near Morya Hospital, Chinchwad, PUNE 411033 -411033

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/291315/2022 dated 02 Sep 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6. Name of Project EC23B000MH127887

SIA/MH/MIS/291315/2022

New B2

N/A

Proposed Residential project at S.No. 108/1, 108/2/1, 108/2/2 + 109/1 (P), Ravet, Pune by M/s. Renuka Construction

Name of Company/Organization 7.

8. **Location of Project**

9. **TOR Date** M/S. RENUKA CONSTRUCTIONS

Maharashtra

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 22/02/2023

(e-signed) Pravin C. Daradé . I.A.S. **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/291315/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s. Renuka Construction, S.No. 108/1, 108/2/1, 108/2/2 + 109/1 (P) Ravet, Pune

Subject: Environmental Clearance for Proposed Residential project at S.No. 108/1, 108/2/1, 108/2/2 + 109/1 (P), Ravet, Pune by M/s. Renuka Construction

Reference: Application no. SIA/MH/MIS/291315/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 156th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 255th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-.

1	Proposal Number	SIA/MH/MIS/291315/2022			
2	Name of Project	Residential project at S. No. 108/1, 108/2/1,108/2/2 + 109/1 (P), Ravet, Pune by M/s. Renuka Constructions			
3	Project category	8 (a), B2			
4	Type of Institution	Private			
5	Project Proponent	Name	M/s. Renuka Constructions		
		Regd. Office address	Shop no. 8, deep Laxmi Bldg, Power house chowk, Chinchwad gaon, Pune		
		Contact number	020-27614333		
		e-mail	renukaconstructions8@gmail.com		
6	Consultant	Sneha Hi-Tech ProductsNABET Accredited Certificate No. NABET/EIA/2124/RA0235 dated 05.04.2022 valid till 15.02.2024			
7	Applied for	New			
8	Details of previous EC	NA, it is a fresh project			
9	Location of the project	S. No. 108/1, 108/2/1,108/2/2 + 109/1 (P), Ravet, Pune			
10	Latitude and Longitude	Latitude: 18°39'3.19"N, Longitude: 73°44'40.47"E			
11	Total Plot Area (m2)	12,447.09			

12	Deductions (m2)	528.86					
13	Net Plot area (m2)	11,918.23					
14	Proposed FSI area (m2)	51,160.38					
15	Proposed non-FSI area (m2)	18,732.43					
16	Proposed TBUA (m2)	69,892.81					
17	TBUA (m2) approved by Planning	51,160.38					
	Authority till date						
18	Ground coverage (m2) & %	3,861.37 (32.3	39 %)				
19	Total Project Cost (Rs.)	Rs. 170 Cr	<u> </u>				
20	CER as per MoEF & CC circular dated 01/05/2018	NA, per Memorandum 22- 65/2017- IA- III dated 25th February 2021					
21	Det ails of Building Configuration: <please basement="B," floor="F," following="" ground="UG," legends:="" lower="" modificatio="" parking="Pk," podium="Po," shops="Sh" stilt="St," upper="" use=""> Reason for Modificatio n / Change</please>						
	Previous EC / Existing Building	Proposed Con	figuration				
	Building Configuration Height (m)	Building name	Configurati on	Height (m)			
		Bldg A to J	B+GP+UP +13 floors	43.85			
		Clubhouse	G+1 floor	7.00			
23	Total number of tenements	Residential: 518 nos. Users: 2590 nos.					
24	Water Budget	Dry Season (CMD) Wet Season (CMI					
		Fresh Water	233 KLD	Fresh Water	233 KLD		
		Recycled (Flushing)	117 KLD	Recycled (Flushing)	117 KLD		
		Recycled (Gardening)	7 KLD	Recycled (Gardening)	0 KLD		
		Swimming Pool		Swimming Pool			
		Total	357 KLD	Total	350		
			e E	\$	KLD		
		Waste water	315 KLD	Waste water	l I		
0.5	W. G.	generation	in the second of	generation	KLD		
25	Water Storage Capacity for Firefighting / UGT (m3)	Domestic tank		350 cum			
	i monghenig / OOI (mo)	Fire tank		750 cum			
		Flushing tank	175 cum	5 cum			
26	Source of water	PCMC/treated	water	,			
27	Rainwater Harvesting (RWH)	Level of the Ground water Summer Seaso m. to 20.00 m. (16.67 M. Aver			BGL.		

20	Source and Works	tank(s) and Quantity: Quantity and size of recharge pits: Details of UGT tanks if any:		Rainy Season — 5.67 m.to 7.67 BGL. (6.67 M.Average) Winter Season — 9.50 m.to 13.84 m. BGL. (11.67 BGL Average) Nil 6 nos. 1.25 m. X 3.00 m. X 1.75m & 1.25 m. X 3.00 m. X 1.75 m.	
28	Sew age and Wastewater	CMD:	neration in	315 KLD	
		STP technolog		MBBR	
20		Capacity of ST		320 KLD	
29	Solid Waste Management during Construction Phase	Type	Quantity (kg/	d) Treatment / disposal	
		Dry waste: Wet waste:	3.75		
		Total waste	12.5	(T1/11-11-11-11-11-11-11-11-11-11-11-11-11	
		Total waste	12.3	Utilized on site at maximum extent. Rest handed over to local body	
30	Solid Waste Management during Operation Phase	Type	Quantity (kg/		
	Operation Fliase	Dry waste: Wet waste:	518 kg/day 777 kg/day	Handed over to Authorized Agency Treated in OWC	
		Hazardous waste:	Negligible	Treated in OWC	
		Biomedical waste	biomedical waste like Mask, Glov ,Face	management.	
		F Waste	shiel etc. (require for Pander csituation)	red ni	
		E-Waste	7 kg/day	Shall be handed over to Authorized recycler for further handling & disposal purpose.	

		STP Sluc (dry)	dge	31 kg/day	Used as gardening	manure for		
31	Green Belt Development	Total RG a	n					
		Existing trees on plot: -						
		Number of trees to be 150 planted:		150 nos.				
				Nil				
		Number of trees to be Ni transplanted:			Nil			
32	Power requirement:	Source of		er supply:	MSEDCL			
		(Demand I	Load		160 kVA			
		(Connected	d loa		3535 kVA			
		During C (Demand l		ation phase	1890 kVA			
		Transformer:		3 x 630 kVA				
		DG set:			1 X 500 kV/	\ \ !		
		Fuel used: HSD						
33	Det ails of Energy saving	Total energy savings: 24.25 %						
34	Environmental Management plan budget during Construction phase	Type	De	tails	Cost			
		Capital	Pro Sai	Site Barricading, Personal 0.78 Protective Equipment, Site Sanitation- Mobile toilets & Debris Management				
		O&M Water for Dus				0.14		
				Site Sanitation, Disinfection & Safety		3.02		
					onmental Monitoring 2			
			Health Check up			0.72		
			Environment Management Cell		8.4			
			Total		14.28			
35	Environmental Management plan Budget during Operation phase	Componen	t	Details	Capital (Rs.)	O&M (Rs./Y)		
-		Sewage		STP	130.66	21.45		
		treatment	!	Operation				
				and its				
		75.77.77.7	-	maintenance		-		
		RWH Storm west	& ar	Recharging				
1		Storm water	JI′	existing				

		ground		
		water table, SWD -	7.5	0.3
		Connection		
		to external		
		line	!	
So	olid Waste	Collection	18.5	4.57
		Segregation		
		and		
		management		
		of MSW		%.
Ha	azardous	NA		_
	aste			
E-	waste	Collection	Included in	Solid waste
		Segregation		
		and hand		
		over to		
		authorized		Y.
		vendors		
	1-14			
그 📗 👚 🖫 🐰 사용하는 사람들은 사람들이 모든 사용하는 사람들이 되었다.	reen belt velopment	Plantation of new trees		
a la companya di managana di m	velopinent			
	・ 「単い時間 1 いたいだ」 ・ 「は確保をある」。 この記	and maintenance	17.35	2.00
		of existing		
		trees		
En	nergy	Energy	94.97	4.74
sa	ving	Saving		
En	vironment	measures To monitor		3.00
al.		sustainability		
Mo		of Environ		
		mental Infrastructure		
	vironment		-	6.48
	anagement			
Ce	isaster	Emergency	101.45	25
	anagement	preparedness	101.10	
		plan to		

			develop and implement on site		
		Total		370.43	67.54
36	Traffic Management	Туре	Required as per DCR	Actual Provided	Area per parking (m2)
		4-Wheeler	279	279	25-35
	unitation states and the second	2-Wheeler	559	559	-
37	Details of Court cases/litigations w.r.t. the project and project location if any.	No			<i>y</i>

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 255th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to abide all the conditions of fire NoC.
- 2. It is noted that, the project will be completed in phases, PP to provide mitigation measures for the dust & noise pollution.
- 3. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places. PP to ensure that this should be provided in AC/DC combination.
- 4. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI –51,160.38 m2, Non FSI-18,732.43 m2, Total BUA- 69,892.81 m2. (Plan approval No.BP/EC/Ravet/11/2022, dated-01.08.2022).

General Conditions:

a) Construction Phase :-

I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and

- conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely

- circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies

that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pimpri Chinchwad Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.